

Supply & Installation of different Chairs at different Sites

SI.N	DESCRIPTION	QTY	UNIT	QUOTED RATE (IN FIGURE)	QUOTED RATE (IN WORD)
1	<p>Medium Back Chair Size (Back Height-530xBack Width-460)mm & (Seat Depth-450xSeat Width-460)mm with Min-Max Height (420-520)mm. Nylon base chair with push back mechanism & Fix handle. Nylon base chair with push back mechanism. Back & seat cover cushion chair upholstered in fabric & adjustable armrest locks any position. Syncro mechanism with locking system and five star chrome base with nylon casters. Seat & Back made up of 14mm thick boiling water proof plywood or ISI303. Chair rotates a full 360 degree in either direction for ease of motion. Standard on every executive with task chair & controls rate and ease with which chair reclines to different weight and strengths of users. Quick and easy adjustment regulated height of chair relative to floor. Back reclines at A 2-to-1 ratio to the seat. 5% post consumed recycled content & 30% total recycled content. The Product Should be Certified BIFMA,ISO-50001,Green Guard,AGSI,FSC & PEFC. Color-Black</p>	5	Each		
2	<p>Cantiliver Chair - Chair Size (W)595mm X (D)510mm X (H)875mm. Multi-purpose fixed chair,Metal frame,PU Padding on armrest. Cushion upholstery in leatherette with four leg metal legs with matt finish. The Product should be PEFC,FSC,BIFMA,Green Gaurd,AGSI & ISO.14001,18001 Certified. Color-Black</p>	10	Each		
3	<p>High Back Chair with revolving. Size(Seat-510x480, Back-660x510, Height-Min.470mm Max.540mm) Chrome plated base with gas height adjustment and central tilting with single locking mechanism. Armrest with padding. Leatherette upholstery has the look and feel of top grain leather. Cushion with lumber support for all day comfort. Chrome plated loop armrest with padded upholstery for extra comfort. chair rotates a full 360 degree in either direction for ease of motion. Standard on every executive & controls rate and ease with which chair reclines to different weight and strengths of users. Quick and easy adjustment regulated height of chair relative to floor. Look out tilt function when chair is in upright position. 5% post consumed recycled content & 30% total recycled content. Color-Black.The Product Should be Certified Company BIFMA,ISO-50001,Green Guard,AGSI,FSC & PEFC.</p>	1	Each		

Arct
ARCT

SI.N	DESCRIPTION	QTY	UNIT	QUOTED RATE (IN FIGURE)	QUOTED RATE (IN WORD)
4	VISITOR CANTILEVER CHAIR: Size-(W-480mm D-490mm I Back H-530mm, W-480mm I Height Min-460mm Max--- Back max height with cantilever - 940mm, Back min height with cantiver - 460mm. Seat & Back made up of 14mm thick boiling water proof plywood os ISI303. Quick and easy adjustment regulated height of chair relative to floor. Back reclines at A 2-to-1 ratio to the seat. 5% post consumed recycled content & 30% total recycled content. Color-Black.The Product Should be Certified Company BIFMA,ISO-50001,Green Guard,AGSI,FSC & PEFC.	3	Each		
5	High Back Chiar Size (Back Height-670xBack Width-470)mm & (Seat Depth-485xSeat Width-475)mm with Min-Max Height (460-540)mm. Nylon base chair with push back mechanism & Fix handle. Nylon base chair with push back mechanism. Back & seat cover cushion chair uphlostered in fabric & adjustable armrest locks any position. Syncro mechenism with locking system and five star chrome base with nylon casters. Seat & Back made up of 14mm thick boiling water proof plywood os ISI303. Chair rotates a full 360 degree in either direction for ease of motion. Standard on every executive with task chair & controls rate and ease with which chair reclines to different weight and strengths of users. Quick and easy adjustment regulated height of chair relative to floor. Back reclines at A 2-to-1 ratio to the seat. 5% post consumed recycled content & 30% total recycled content. The Product Should be Certified BIFMA,ISO-50001,Green Guard,AGSI,FSC & PEFC. Color-Black	1	Each		
6	High Back Chair Size (Back Height-670xBack Width-470)mm & (Seat Depth-485xSeat Width-475)mm with Min-Max Height (460-540)mm. Nylon base chair with push back mechanism & Fix handle. Nylon base chair with push back mechanism. Back & seat cover cushion chair uphlostered in fabric & adjustable armrest locks any position. Syncro mechenism with locking system and five star chrome base with nylon casters. Seat & Back made up of 14mm thick boiling water proof plywood os ISI303. Chair rotates a full 360 degree in either direction for ease of motion. Standard on every executive with task chair & controls rate and ease with which chair reclines to different weight and strengths of users. Quick and easy adjustment regulated height of chair relative to floor. Back reclines at A 2-to-1 ratio to the seat. 5% post consumed recycled content & 30% total recycled content. The Product Should be Certified BIFMA,ISO-50001,Green Guard,AGSI,FSC & PEFC. Color-Black	3	Each		

Ames
A.E.U.

Sl.N	DESCRIPTION	QTY	UNIT	QUOTED RATE (IN FIGURE)	QUOTED RATE (IN WORD)
7	Visitor Chair- Cantiliver Chair Size (Back-H-470xW-460, Seat-D-460x470)mm & Min. Height-430mm. Multipurpose fixed cantiliver chair & armrest with padding & metal base. A 14mm thick, BWR grade plywood (IS:303) is used to make the seat and back. Deep cushioned back and seat confirm to body contours for proper alignment, posture and all day comfort. 5% post consumed recycled content & 30% total recycled content. The Product Should be Certified BIFMA,ISO-50001,Green Guard,AGSI,FSC & PEFC. Color-Black	71	Each		
8	Medium Back Chiar Size (Back Height-530xBack Width-460)mm & (Seat Depth-450xSeat Width-460)mm with Min-Max Height (420-520)mm. Nylon base chair with push back mechanism & Fix handle. A 14mm thick, BWR grade plywood (IS:303) is used to make the seat and back. Deep cushioned back and seat confirm to body contours for proper alignment, posture and all day comfort. 5% post consumed recycled content & 30% total recycled content. The Product Should be Certified BIFMA,ISO-50001,Green Guard,AGSI,FSC & PEFC. Color-Black	5	Each		

Abel
AT (T)