



आधारभूत संरचना विकास प्राधिकार

(बिहार सरकार का उपक्रम)

प्रथम तल उद्योग भवन, पूर्वी गाँधी मैदान, पटना।

Email md@idabihar.com Web-www.idabihar.com Phone/ 0612-2675933,2675935 Fax: 0612-2675934

Corrigendum-02

NIT 39/TEN/IDA/24 and NIT 40/TEN/IDA/24

- दिनांक 21.06.2024 को प्राधिकार द्वारा आमंत्रित निविदा सूचना सं0 39/TEN/IDA/24 एवं 40/TEN/IDA/24 के Pre-Bid queries में इच्छुक निविदादाताओं द्वारा सुझाव/पृच्छा/सलाह दिये गये। जिस पर समीक्षोपरांत निविदा में आवश्यक निर्णय/संशोधन किया गया है, जो संलग्न है, जिसके अनुसार निविदादाता निविदा की कार्रवाई करेंगे।
- निविदा सूचना सं0 39/TEN/IDA/24 के Gr. No 02 में specified make Ramsons/ Fabcare/ Tonello/ Stefab की जगह Ramsons/ Fabcare/ Tonello/ Stefab or equivalent पढ़ा जाय। अन्य शर्तें यथावत् रहेगी।
- निविदा सूचना सं0 39/TEN/IDA/24 एवं 40/TEN/IDA/24 के समय सारणी में निम्नानुसार परिवर्तन किया जाता है –

Sl. No.	Particulars	Date and Time	Date and Time
05	Last Date, time and place for submission of Original instrument of EMD and cost of BOQ.	On 29.06.2024 upto 3.00PM in the office of The Executive Engineer(Tech-Headquarters), Infrastructure Development Authority, 1 st Floor, Udyog Bhawan, East Gandhi Maidan, Patna-800004	On 02.07.2024 upto 3.00PM in the office of The Executive Engineer(Tech-Headquarters), Infrastructure Development Authority, 1 st Floor, Udyog Bhawan, East Gandhi Maidan, Patna-800004
06	Time and date of opening technical bids	Date 29.06.2024 Time 03:30 PM	Date 02.07.2024 Time 03:30 PM

अनु0- Pre-Bid reply and BG Format.

निविदा की विस्तृत शर्तों एवं आवश्यक सूचना आधारभूत संरचना विकास प्राधिकार से प्राप्त की जा सकती है एवं कार्यालय के सूचना पट्ट एवं वेबसाइट www.prdbihar.gov.in/www.idabihar.com पर देखा जा सकता है।

Note: Bidders should re-submit their bids if required, after a corrigendum is published. Kindly check your bids if already submitted.

ह0/-

कार्यपालक अभियंता तकनीकी

ज्ञापांक:- 3270/TEN दिनांक:- 26/06/24

- प्रतिलिपि:-
- निदेशक (कार्यक्रम कार्यान्वयन) को सूचनार्थ समर्पित।
 - कम्प्यूटर प्रोग्रामर आई0डी0ए0, पटना को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।
 - श्री मुकेश कुमार, कनीय अभियंता को E-proc2.0 website पर अपलोड करने हेतु प्रेषित।

AB Prasad
26/06/24
कार्यपालक अभियंता तकनीकी

	Pre-Bid Queries	Response
	Payment- specify Payment terms and conditions GST Taxes- All the taxes should be paid with first payment on supply of goods. Please clarify. EMD EMD-Bank Guarantee format for EMD.	Payment terms are already mentioned in RFP (point 26) GST Taxes: as per RFP rules Shall be uploaded along with reply to the queries.
	Pre-Site requirement All the civil works, work shed, by IDA (Like flooring concrete should be done by IDA, Bihar). Power connection, air points near the machine shall be provided IDA, Bihar. Scope of supply of pre-requisite items UPS, Air compressor, MCCB, Servo stabilizer shall be under scope of supplier or IDA, Bihar? Layout / floor plan planning Layout plan of the building shall be submitted to SAMR.	All civil work for inatallation of machineries will be done by the bidder. Design, supply , Installation, testiing and commissioning along with associated work will be part of the bidders scope. Under scope of suppliers. Layout Plan of the shed will be provided by IDA.
ETP	requested to give us the proper design/ drawing of the plants, and a few quarries about the bore well distance, Electric main switch to plant distance, and wastewater disposal details for ETP	The design as well as construction, Installation ,testing and commissioning along with all associated work will be part of the bidders scope.
	Need a Water Test Report for the Effluent and Raw Water of the Facility. -Please confirm IDA will provide. Also Please Specify In Effluent Quality and Required Treated Effluent Quality.	Water test report will be provided to bidder (by BIADA).
	Operation Hours to Designing the Plant for achieving proper and complete Treatment - PLEASE SPECIFY AND CONFIRM	Average operating hours - 16 hrs. Average flow -10 hrs., Peak faetor 1.4, Peak flow - 14m3/hr
	RT- Retention time is required in Aeration and Other Treatment Tanks. (As per CENTRAL POLLUTION CONTROL BOARD and Other Study Reports the Required RT of for the Garment Industries is 8-10 Hours. Also Please Refer CPHEEO Manual Chapter 5 For Aeration Tank Retention Time Details) - PLEASE SPECIFY AND CONFIRM	Retention Time-4 hours (In equalization tank) Retention Time- Nil (In flocculation tank) Retention Time- Nil (In coagulation tank) Retention Time- Nil (In pH correction tank) In primary settling tank- Detension time - 4.2 Hrs. In Bio Reaction tank- Retension time- 4 Hrs. In secondary settling tank- detension time - 4.2 Hrs. In filter feed tank- Detension time- 3 Hrs.
	Each Level of Treatment(i.e. is Triple Filtration - Primary, Secondary and Tertiary) Permeate Water (Treated water) Percentage for Re-Use. Commonly Garment Industries Take back and Re Use 90% of the Treated water — PLEASE SPECIFY AND CONFIRM	As per the requirement of textile industry.
	Stage-II RO Reject water Disposal Details - PLEASE SPECIFY AND CONFIRM	Average flow rate-4 m3/Hr, Detention hrs- 3 , vol of filter feed tank 12m3, volume of tank reqd.-24m3 Average Flow Rate-4 m3/Hr, Detention hrs- 3, vol of filter feed tank 12m3, volume of tank reqd.-24m3 , reject flow - 2m3/Hr
	Tertiary Stage - Ultra Filtration and Reverse Osmosis System Any Specific Make of the Membrane Required - PLEASE SPECIFY AND CONFIRM	As per standard make conforming to relevant IS- specification

ABP

General Requirement	
ETP, CTE- Consent to Establish and CTO-Consent to Operate from the PCB Department should be in IDA- INFRASTRUCTURE DEVELOPMENT AUTHORITY Scope for Approvals, NOC and fees if any Applicable.	Shall be facilitated by BIADA.
Need to know Incoming Power Supply for the ETP Panel and Main Earth for the ETP Plant.	One main power source shall be provided from where the power can be tapped.
ETP Equipment Covering Shed and Boundary Wall.- IDA scope please confirm.	Under scope of bidder as the work includes Design, Construction, Installation and commissioning which as a complete job.
What about the Chemical and Sludge Storage Area and Building?	Shall be facilitated by BIADA.
What are all the Basic Lab Equipments and Testing equipment Required after Commissioning? Please Provide a List of the Items.	Basic lab equipment and testing equipment requires for Textile Industry, which will be under the scope of the bidder.
Guarantee Period - Manufacturing Guaranty of the Installed Items is only 1 Year from the Date of Commissioning. After the 6 Months, we will provide a service. Then there will be an End User Scope. (Membranes Not Come Under any Warranty). Ref-point number 18 In the NIT.	The supplier shall undertake to repair free of charge or replacement of any defective part during a period of 03 years from the date of commissioning.
Payment terms:	
We noted and are Accepting your Payment terms . Ref- Point Number -26 in the NIT No. 40/TEN/IDA/23 Gr-01.	As per RFP.
39/TEN/IDA/23 Gr-02	
Brand Name	
1. specify equivalent brand also for the healthy competition	Corrigendum regarding has been uploaded on the eproc website.
2. EMD-Bank Guarantee format for EMD.	BG Format is attached with this Queries response.
Pre-Site requirement	
3. All the civil works, work shed, by IDA (Like flooring concrete ,water line ,drain line ,steam line ,air line , to the respective machine should be done by IDA, Bihar).	All civil work for inatallation of machineries will be done by the bidder. Shed with concrete flooring shall only be provided. Rest all associated work will be part of bidder as the scope of work is Supply, Installation, testing and commissioning of the equipments.
4. Power connection, air points near the machine shall be provided IDA, Bihar.	
Scope of supply of pre-requisite items	To be provided by the bidder.
5. UPS, Air compressor, MCCB, Servo stabilizer shall be under scope of supplier or IDA, Bihar?	
Layout / floor plan planning	
6. Layout plan of the building shall be submitted	Shall be uploaded along with reply to the queries.
39/TEN/IDA/23 Gr-02	
1 - Scope of Work & Point 18 - Guarantee period: Generally the Warranty is for ONE Year for any manufacturing defect. After one year, we undertake an Annual Maintenance contract without spares. The consumables and electric/electronic items are not covered under the guarantee or warranty claim. The visit charges of our Engineer – To and Fro, Boarding and Lodging, DA etc extra as applicable for Training as well as On call or Service visit. Please advise or suggest for three years.	The supplier shall undertake to repair free of charge or replacement of any defective part during a period of 03 years from the date of commissioning. No extra charge for visit of engineers will be given
Point 8 (D) : In Ramsons Scope – dispatching the equipment FOR Muzaffarpur after pre inspection. Unloading of the machines, placement to the site, all utilities like Civil / foundations/Drains, Plumbing, Water lines, Air lines, Steam Lines, Electric with MCBs/panel boxes/etc , wires, and others in IDA scope or else please SPECIFY/PLEASE SUGGEST	Under the scope of the bidder.


AB

Washing Section

Point 20 - Inspection: We welcome to visit our manufacturing facility for Pre-delivery inspection. All the expenses to be borne by IDA or PLEASE SUGGEST	All expenses to be borne by the bidder.
Point 21 - Final Acceptance Test (FAT) at site: All special test tools/ equipment, consumable, test parts will be at extra cost. We will furnish Instruction Manuals, test program and validation data to the Authority.	All expenses to be borne by the bidder.
Point 23 - Systems of units and language: We will provide In English Language	Both in figures and words.
Point 26 - Payment: Procedure of documentation. A single contact where we can follow up the concern. 40% remittance of the Invoice according to each delivery made (one truck load) or after the complete delivery of equipment.	Payment made mentioned in RFP shall be followed.
Check list: Point 18 Need a format of photocopy of Warranty Agreement between the Bidder and the service provider, if applicable	Bidder shall submit all the documents related to warranty of machineries.
Electrical license Registration - self electric license registration or sub-contractor affidavit: purpose, any NOC required or applicable fees for registration in whose scope or else PLEASE SPECIFY / OR SUGGEST	Self electrical license is mandatory.
39/TEN/IDA/23 Gr-02	
The Technical Specification of the Equipment's mentioned in the Tender are of a particular make i.e Ramsons/IFB and since every manufacturer has their own design in terms of dimensions & capacity, we request you to make the tender specs more open so as to allow different manufacturers of repute to participate.	or equivalent Shall be part of corrigendum along with reply to queries.
To get better informed about the installation requirement, kindly provide the Layout (Floor Plan) of the Laundry Area.	Only the layout plan of the shed shall be provided.
Please provide the details of the source & available capacity of the steam at site and up to what distance from the machine the source is available.	Shall have to be explored by the bidder.
Please provide the details of the source & available capacity of the Electric Power required and up to what distance from the machine the power source is available.	Only main power source shall be made available where the power can be tapped.
Please provide the details of the source of water and up to what distance from the machine the Water source is available.	Bore well adjacent to the shed shall be provided.
Please provide the details of ducting available and up to what distance from the Driers.	Within the scope of the bidder.
Please provide the details on drainage available for waste water and up to what distance from the Machine.	Nearby location shall be provided.
The Scope of Loading & Unloading is not clear, kindly clarify.	The entire scope of supply, installation, testing and commissioning is part of scope of bidders which included loading, unloading all complete job.
The Scope of Foundation & other Civil works required for installation is not clear, kindly clarify.	All civil work for installation of machineries will be done by the bidder.

ABP

	Format for BG is not in the attached annexures, kindly provide.	Shall be uploaded along with reply to the queries.
	39/TEN/23 Gr-01	
	We need to understand the scope of Supply(Supplier or Buyer)	
Cutting Section	1. System Requirements like UPS, Compressor, MCCB, etc.	1. Under scope of the bidder.
	2. Civil Works	2. Under scope of the bidder.
	3. Labourers for Unloading of Machines	3. Under scope of the bidder.
	4. Accommodations & Daily Allowance for Site Engineers during installation & training.	4. Under scope of the bidder.
	5. Custom Duty, Clearance charges, Insurance & other IGST	5. Under scope of the bidder.
	40/TEN/IDA/24	
	The serial no.3 of the technical part of the said tender there is mention of self electrical license registration or submission of sub contractor affidavit regarding this, I would like to get information that electrical license is mandatory to participate in the tender.	Sub contractor affidavit regarding electrical license is acceptable.


 Anand Bharav Prasad
 Executive Engineer (Tech.)-HQ

26/06/24

SECURITIES AND OTHER FORMS

(to be filled by Bidder/Employer)

BID SECURITY (BANK GUARANTEE)

WHEREAS, _____ [name of Bidder] (hereinafter called "the Bidder")
has submitted his Bid dated _____ [date] for the construction of
_____ [name of Contract hereinafter called "the Bid"].

KNOW ALL PEOPLE by these presents that We _____
[name of Bank] of _____ [name of country] having our registered office at
_____ (hereinafter called "the Bank") are bound
unto _____ [name of Employer] (hereinafter called "the Employer") in the sum
of _____ *for which payment well and truly to be made to the said Employer
the Bank itself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank this _____ day of _____, 20____.

THE CONDITIONS of this obligation are :

- (1) If after Bid opening the Bidder withdraws his bid during the period of Bid validity specified in the Form of Bid;

OR

- (2) If the Bidder having been notified to the acceptance of his bid by the Employer during the period of Bid validity :
 - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
 - (b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders; or
 - (c) does not accept the correction of the Bid Price pursuant to Clause 27.

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to his owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date _____** days after the deadline for submission of Bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Employer, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this guarantee should reach the Bank not later than the above date.

DATE _____

SIGNATURE _____

WITNESS _____

SEAL _____

[Signature, name and address]

- * The Bidder should insert the amount of the guarantee in words and figures denominated in Indian Rupees. This figure should be the same as shown in RFP.
- ** 45 days after the end of the validity period of the Bid. Date should be inserted by the Employer before the Bidding documents are issued.